L Number	Hits	Search Text	DB	Time stamp
1	66	((depth or deepness or measur$5 or distance or disparity or range) or (range near3 find$4)) near5 (map$4 or chart or project$4 or graph$4 or picture or plane)with (camera near5(calibrat$4 or readjust$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 12:44
2	8	((depth or deepness or measur$5 or distance or disparity or range) or (range near3 find$4)) near5 (map$4 or chart or project$4 or graph$4 or picture or plane)with (camera near5(calibrat$4 or readjust$4))with pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 12:46
3	11	((depth or deepness or measur$5 or distance or disparity or range) or (range near3 find$4)) near5 (map$4 or chart or project$4 or graph$4 or picture or plane)with (camera with(calibrat$4 or readjust$4))with pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 12:46
4	119	((depth or deepness or measur$5 or distance or disparity or range) or (range near3 find$4)) near5 (map$4 or chart or project$4 or graph$4 or picture or plane)with (camera with(calibrat$4 or readjust$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 12:56
5	331735	((depth or disparity or range)) near5 (map$4 or chart or project$4 or graph$4 or picture or plane or information or value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 12:57
6	4097	((depth or disparity or range)) near5 (map$4 or chart or project$4 or graph$4 or picture or plane or information or value)with camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 12:58
7	292	((depth or disparity or range)) near5 (map$4 or chart or project$4 or graph$4 or picture or plane or information or value)with camera with pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 12:58
8	4	((depth or disparity or range)) near5 (map$4 or chart or project$4 or graph$4 or picture or plane or information or value)with camera with pixel with (calibrat$4 or readjust$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 13:06
9	0	6633664.URPN.	USPAT	2004/04/15 12:59
10	2	("5796427" | "6342918").PN.	USPAT	2004/04/15 12:59
11	1617	((depth or disparity)) near5 (map$4 or picture or plane or information or value or image)with view	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 13:18
12	31	((depth or disparity)) near5 (map$4 or picture or plane or information or value or image)with (new near5 view)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 13:08
13	138	((depth or disparity)) near5 (map$4 or picture or plane or information or value or image)with view with pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 13:58
14	2	((depth or disparity)) near5 (map$4 or picture or plane or information or value or image)with view with pixel with calibrat$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 13:24
15	6	((depth or disparity)) near5 (map$4 or picture or plane or information or value or image)with view with calibrat$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 13:25

16	5	((depth or disparity)) near5 (map$4 or picture or plane or information or value or image) with ((new or changed)near6 view) with camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 13:55
17	184	((depth or disparity)) near5 (map$4 or picture or plane or information or value or image) with (view or perspective) with camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 13:55
18	12	((depth or disparity)) near5 (map$4 or picture or plane or information or value or image) with (view or perspective) with camera with pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 13:55
19	163	((depth or disparity)) near5 (map$4 or picture or plane or information or value or image)with (view or parallax) with pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 13:59
20	12	((depth or disparity)) near5 (map$4 or picture or plane or information or value or image)with (view or parallax) with pixel with camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:25
21	4624	zhang near z	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:25
22	339	(zhang near z) and image	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:25
23	91	(zhang near z) and image and calibrat$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:25
24	71	(zhang near z) and image and calibrat$4 and camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:25
25	21	(zhang near z) and image and calibrat$4 and camera and depth	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:43
26	2	5511153.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:55
27	7	(depth near5 map$4) with (new near6 view)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:58
28	11	(depth near5 map$4) same (new near6 view)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:58

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

◆IEEE

Membership   Publications/Services   Standards   Conferences   Careers/Jobs

IEEE Xplore®
RELEASE 1.6

Welcome
United States Patent and Trademark Office

» Se.

Help   FAQ   Terms   IEEE Peer Review   Quick Links

Welcome to IEEE Xplore®

O- Home
O- What Can
I Access?
O- Log-out

Tables of Contents

O- Journals
& Magazines
O- Conference
Proceedings
O- Standards

Search

O- By Author
O- Basic
O- Advanced

Member Services

O- Join IEEE
O- Establish IEEE
Web Account

O- Access the
IEEE Member
Digital Library

Your search matched **13** of **1024576** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevanc**
Descending order.

Refine This Search:
You may refine your search by editing the current search expression or enteri
new one in the text box.

median and fusion   Search

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

1 **Arc fusion splices with improved strength (4.8 GPa) approaching th
strength of the fibre**
Berg, A.; Johansen, M.;
Electronics Letters , Volume: 31 , Issue: 4 , 16 Feb. 1995
Pages:308 - 309

[Abstract]   [PDF Full-Text (176 KB)]   IEE JNL

2 **Nearest neighbor rules using ordinal information**
Yager, R.R.;
IFSA World Congress and 20th NAFIPS International Conference, 2001. Joint
9th , Volume: 2 , 25-28 July 2001
Pages:968 - 972 vol.2

[Abstract]   [PDF Full-Text (344 KB)]   IEEE CNF

3 **The arc-transversal median algorithm: an approach to increasing
ultrasonic sensor accuracy**
Nagatani, K.; Choset, H.; Lazar, N.;
Robotics and Automation, 1999. Proceedings. 1999 IEEE International Confer
on , Volume: 1 , 10-15 May 1999
Pages:644 - 651 vol.1

[Abstract]   [PDF Full-Text (712 KB)]   IEEE CNF

4 **Error criteria analysis and robust data fusion**
Xing Li; Weiru Fang; Qi Tian;
Acoustics, Speech, and Signal Processing, 1994. ICASSP-94., 1994 IEEE
International Conference on , Volume: iv , 19-22 April 1994
Pages:IV/37 - IV/40 vol.4

[Abstract]   [PDF Full-Text (216 KB)]   **IEEE CNF**

---

5 The power average operator

Yager, R.R.;
Systems, Man and Cybernetics, Part A, IEEE Transactions on , Volume: 31 , I
6 , Nov. 2001
Pages:724 - 731

[Abstract]   [PDF Full-Text (251 KB)]   **IEEE JNL**

---

6 Multimodal decision-level fusion for person authentication

Chatzis, V.; Bors, A.G.; Pitas, I.;
Systems, Man and Cybernetics, Part A, IEEE Transactions on , Volume: 29 , I
6 , Nov. 1999
Pages:674 - 680

[Abstract]   [PDF Full-Text (212 KB)]   **IEEE JNL**

---

7 Approximating fuzzy measures by hierarchically decomposable one:

Domingo-Ferrer, J.; Torra, V.;
Information Fusion, 2002. Proceedings of the Fifth International Conference
on , Volume: 1 , 8-11 July 2002
Pages:191 - 198 vol.1

[Abstract]   [PDF Full-Text (806 KB)]   **IEEE CNF**

---

8 Fuzzy rules for automated sensor self-validation and confidence measure

PhaniShankar, C.V.; Orth, S.; Frolik, J.; Abdelrahman, M.;
American Control Conference, 2000. Proceedings of the 2000 , Volume: 4 , 2%
June 2000
Pages:2912 - 2916 vol.4

[Abstract]   [PDF Full-Text (288 KB)]   **IEEE CNF**

---

9 The ARIES-III D-^{3}He tokamak reactor: design-point determination i parametric studies

Bathke, C.G.; Werley, K.A.; Miller, R.L.; Krakowski, R.A.; Santarius, J.F.;
Fusion Engineering, 1991. Proceedings., 14th IEEE/NPSS Symposium on , 30
Sept.-3 Oct. 1991
Pages:219 - 222 vol.1

[Abstract]   [PDF Full-Text (356 KB)]   **IEEE CNF**

---

10 Neural network based sensor array signal processing

Chung, D.; Merat, F.L.;
Multisensor Fusion and Integration for Intelligent Systems, 1996. IEEE/SICE/
International Conference on , 8-11 Dec. 1996
Pages:757 - 764

[Abstract]   [PDF Full-Text (628 KB)]   **IEEE CNF**

---

11 A theoretical study on six classifier fusion strategies
Kuncheva, L.I.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on , Volume:
24 , Issue: 2 , Feb. 2002
Pages:281 - 286

[Abstract]   [PDF Full-Text (159 KB)]   **IEEE JNL**

12 Durable marine concrete for the U.S. Navy
Burke, D.F.;
OCEANS 2000 MTS/IEEE Conference and Exhibition , Volume: 3 , 11-14 Sept.

Pages:1803 - 1814 vol.3

[Abstract]   [PDF Full-Text (956 KB)]   **IEEE CNF**

13 Noise cancellation using nonlinear fuzzy filters
*Russo, F.;*
Instrumentation and Measurement Technology Conference, 1997. IMTC/97.
Proceedings. 'Sensing, Processing, Networking'., IEEE , Volume: 2 , 19-21 Ma
1997
Pages:772 - 777 vol.2

[Abstract]   [PDF Full-Text (804 KB)]   **IEEE CNF**

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

IEEE *Xplore*®
RELEASE 1.6

Welcome
United States Patent and Trademark Office

» Se.

Help   FAQ   Terms   IEEE Peer Review | **Quick Links**   ▽

Your search matched **3** of **1024576** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri new one in the text box.

| depth and map and median | | Search |

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

---

1 **3-D scene data recovery using omnidirectional multibaseline stereo**
Sing Bing Kang; Szeliski, R.;
Computer Vision and Pattern Recognition, 1996. Proceedings CVPR '96, 1996
Computer Society Conference on , 18-20 June 1996
Pages:364 - 370

[Abstract]   [PDF Full-Text (792 KB)]   **IEEE CNF**

---

2 **Dynamic stereo with self-calibration**
Tirumalai, A.P.; Schunck, B.G.; Jain, R.C.;
Computer Vision, 1990. Proceedings, Third International Conference on , 4-7
1990
Pages:466 - 470

[Abstract]   [PDF Full-Text (464 KB)]   **IEEE CNF**

---

3 **Application of fuzzy signal processing to three dimensional vision**
Hughes, N.R.; Roberts, G.N.; Wilson, G.R.;
Factory 2000 - The Technology Exploitation Process, Fifth International Confe
on (Conf. Publ. No. 435) , 2-4 April 1997
Pages:319 - 324

[Abstract]   [PDF Full-Text (580 KB)]   **IEE CNF**

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top